Approved For Release 2003/01/28 : CIA-RDP78B04770A002600020033-7

25X1

31 January 1964

MEMORANDUM FOR THE RECORD			
1.	SUBJECT:	# 217 PAR (Unassigned), Contract No "Optimization of the Laser".	25X1
2.	REFERENCES:	a. Quarterly Report, Contract Second Quarter FY-64.	25X1
3•	ENCLOSURE:	(1) "Optimization of a Laser to be used for Exposure of Photographic Materials.	
4.	ACTION REQUIRED:	The investigation proposed in paragraph B of the Study Program Objective for PAR #216 in reference a. should be proposed as a separate project. Some additions to the objectives are needed.	
5•	ACTION TAKEN:	Existing objectives have been reviewed and expanded. A statement of the proposed research has been compiled and is contained in enclosure (1).	
6.	COORDINATION:	Not Applicable	
7.	COPIES TO:		25X1
	L	Technical Representative	

Declass Review by NIMA/DOD

Approved For Release 2003/01/28: CIA-RDP78B04770A002600020033-7

31 January 1964

Optimization of A Laser To Be Used For Exposure of Photographic Materials

The suggested program described under Item B "Optimization of the Laser" in the Study Program Objective for PAR #216 appears sound and and should serve as a basis for a new Research objective of broader scope. Incorporated into this expanded scope should be:

- l. Investigation into low-energy, continuous emission solid state lasers with the ultimate goal of finding a greatly <u>simplified</u> laser source for use in exposing sensitized materials.
- 2. Since visual inspection of the image prior to exposure is very important in some applications, investigation should be directed toward this area. To be determined are: the best method or technique for doing this and the best laser and/or spectral range to implement it.
- 3. Part of this project, a continuous survey should be made of new materials and techniques as these discoveries are announced in the technical literature and at acientific society meetings.
- 4. Investigate the use of lasers as illumination sources, to be used in scanning mode, in rear projection viewers.